

Limit values - ND NTech Villa Topguided

Market:



 **NorDan**[®]

Document ID: 000F8D(4.01)

Date: 03 February 2026

Page: 1 of 3

Construction: 92/67

Applicable for product codes: TQ

TQ frame	Width mm	Height mm	Max W+H mm	Max weight kg
	388 - 2088	450 - 1588	3400	

TQ sash	Width mm	Height mm	Max W+H mm	Max weight kg
			3228	100
VLD555 - Blowback restrictor	304 - 2104	592 - 1500	3228	
VLD838 - Handle Tokyo with key (fully locked)	304 - 2104	400 - 1500	3228	
VLD839 - Handle 1710/93S for oval cylinder	504 - 2099	500 - 1500	3228	

Remarks

TQ sash When sashweight over 70 kg, special description for fixing hinge to frame - reduced opening angle.

Limit values - ND NTech Villa Topguided

Market:



 **NorDan**[®]

Document ID: 000F8D(4.01)

Date: 03 February 2026

Page: 2 of 3

Construction: 105/80

Applicable for product codes: TQ

TQ frame	Width mm	Height mm	Max W+H mm	Max weight kg
	388 - 2088	450 - 1588	3400	

TQ sash	Width mm	Height mm	Max W+H mm	Max weight kg
			3228	100
VLD555 - Blowback restrictor	304 - 2104	592 - 1500	3228	
VLD838 - Handle Tokyo with key (fully locked)	304 - 2104	400 - 1500	3228	
VLD839 - Handle 1710/93S for oval cylinder	504 - 2099	500 - 1500	3228	

Remarks

TQ sash When sashweight over 70 kg, special description for fixing hinge to frame - reduced opening angle.

Limit values - ND NTech Villa Topguided

Market:



Document ID: 000F8D(4.01)

Construction: NTech Passive

Date: 03 February 2026

Page: 3 of 3

Applicable for product codes: TQ

TQ frame	Width mm	Height mm	Max W+H mm	Max weight kg
	388 - 2088	488 - 1588	2700	

TQ sash	Width mm	Height mm	Max W+H mm	Max weight kg
	304 - 2004	400 - 1500	2528	40