

# Limit values - ND NTech Villa Topswing reversible

Market:



Document ID: 000D1F(4.05)

Construction: 92/67

Date: 03 February 2026

Page: 1 of 3

Applicable for product codes: TG

TG frame	Width mm	Height mm	Max W+H mm	Max weight kg
	348 - 2388	388 - 1788	3400	

TG sash Legal interval ranges	Width mm	Height mm	Max W+H mm	Max weight kg
	264 - 2304	300 - 658	3228	50
	264 - 2304	658 - 874	3228	60
	264 - 2304	874 - 1700	3228	80

TG sash	Width mm	Height mm	Max W+H mm	Max weight kg
VLD032 - Safety escutcheon Fix 805	264 - 2216	562 - 1800		
VLD614 - Chrome window Hasp	264 - 1604			
VLD837 - Handle Tokyo with KISI	264 - 2216	500 - 1800		
VLD838 - Handle Tokyo with key (fully locked)	504 - 2216	462 - 1800		
VLD839 - Handle 1710/93S for oval cylinder	264 - 2216	600 - 1800		

# Limit values - ND NTech Villa Topswing reversible

Market:



**NorDan**<sup>®</sup>

Document ID: 000D1F(4.05)

Construction: 105/80

Date: 03 February 2026

Page: 2 of 3

Applicable for product codes: TG

TG frame	Width mm	Height mm	Max W+H mm	Max weight kg
	348 - 2388	450 - 1788	3400	

TG sash Legal interval ranges	Width mm	Height mm	Max W+H mm	Max weight kg
	264 - 2304	362 - 658	3228	50
	264 - 2304	658 - 874	3228	60
	264 - 2304	874 - 1700	3228	80

TG sash	Width mm	Height mm	Max W+H mm	Max weight kg
VLD032 - Safety escutcheon Fix 805	264 - 2216	562 - 1800		
VLD614 - Chrome window Hasp	264 - 1604			
VLD692 - Burglar resistance EN 1627:2011 RC2 VLD695 - Burglar resistance EN 1627:2011 RC2N VLD696 - Burglar resistance EN 1627:2011 RC2 (=P6B)	404 - 2216	362 - 1800		
VLD837 - Handle Tokyo with KISI	264 - 2216	500 - 1800		
VLD838 - Handle Tokyo with key (fully locked)	504 - 2216	412 - 1800		
VLD839 - Handle 1710/93S for oval cylinder	264 - 2216	600 - 1800		

## Remarks

### TG frame

- # EI30
- Factory coupled not an option.
- Coupled on site is optional.
- Coupled maximum 3 metes in height, no limitation on width.

### TG sash

- # EI30
- Openable for maintenance only:
- Fire rated openable windows have blanking plates as standard. No handles.
- 1 No. Loose handle (Art.No.: 0403456) is included pr. Order.
- Extra loose handles must be ordered separately.
- The glass size is 3mm smaller in width and height compared to non-fire rated products.
- See Overview Fire glass in NDocs for further information on glass size.

# Limit values - ND NTech Villa Topswing reversible

Market:



**NorDan**<sup>®</sup>

Document ID: 000D1F(4.05)

Construction: NTech Passive

Date: 03 February 2026

Page: 3 of 3

Applicable for product codes: TG

TG frame	Width mm	Height mm	Max W+H mm	Max weight kg
	348 - 2388	450 - 1788	3400	

TG sash Legal interval ranges	Width mm	Height mm	Max W+H mm	Max weight kg
	264 - 2304	362 - 658	3228	50
	264 - 2304	658 - 874	3228	60
	264 - 2304	874 - 1700	3228	80

TG sash	Width mm	Height mm	Max W+H mm	Max weight kg
VLD032 - Safety escutcheon Fix 805	264 - 2216	562 - 1800		
VLD614 - Chrome window Hasp	264 - 1604			
VLD692 - Burglar resistance EN 1627:2011 RC2 VLD695 - Burglar resistance EN 1627:2011 RC2N VLD696 - Burglar resistance EN 1627:2011 RC2 (=P6B)	404 - 2216	362 - 1800		
VLD837 - Handle Tokyo with KISI	264 - 2216	500 - 1800		
VLD838 - Handle Tokyo with key (fully locked)	504 - 2216	412 - 1800		
VLD839 - Handle 1710/93S for oval cylinder	264 - 2216	600 - 1800		